

HRDEMOS SPOMENAR

Za primjer spomenara koristio sam:

- WordPress, tema 2022 (Twenty Twenty-Two)
- Plugin The Event Calendar (TEC)
- Plugin Featured Image From URL (FIFU)

TEC postavke

Postavke Događaji

The Events Calendar offers basic support for themes using Site Editor. [Read more.](#)

Osnovno Zaslona Filteri Licenses Integrations Imports

Finding & extending your calendar.

Looking for additional functionality including recurring events, custom meta, community events, ticket sales and more? [Check out the available add-ons.](#)

Documentation: [View Welcome Page](#), [Getting started guide](#), [Knowledgebase](#)

Where's my calendar? [Right here](#)

If you're enjoying The Events Calendar, give us kudos by including a link in the footer of calendar views. It really helps us a lot.

Having trouble? [Pomoć](#), [Troubleshoot](#)

Show The Events Calendar link

Jump to: [Viewing](#), [Editing](#), [Maintenance](#), [Debugging](#)

Viewing

Events URL slug:
The slug used for building the events URL. Your current events URL is: <https://memories.hrdemo.org/events/>

Single event URL slug:
The above should ideally be plural, and this singular. Your single event URL is: <https://memories.hrdemo.org/event/single-post-name/>

Include events in main blog loop Show events with the site's other posts. When this box is checked, events will also continue to appear on the default events page.

Enable the Month View Cache Check this to cache your month view HTML in transients, which can help improve calendar speed on sites with many events. [Read more.](#)

Editing

Aktivirajte Block uređivač za događaje Enable the Gutenberg block editor interface for creating events. [Pogledaj više.](#)

Prikaži metabox prilagođenih polja Enable WordPress Custom Fields on events in the classic editor.

Maintenance

Premjesti u smeće starije od:
Trashed events will permanently be deleted in 30 days, you can change that value using `EMPTY_TRASH_DAYS`. [Read more.](#)

Merge duplicate Venues & Organizers
Click this button to automatically merge identical venues and organizers.

Debugiranje

Za svaki problem postoji rješenje
Sometimes things just don't work as expected. The [troubleshooting page](#) has a wealth of resources to get you back on track.

Debug mode

Enable this option to log debug information. By default this will log to your server PHP error log. If you'd like to see the log messages in your browser, then we recommend that you install the [Debug Bar Plugin](#) and look for the "Tribe" tab in the debug output.

Opt in to Telemetry

Enable this option to share usage data with The Events Calendar and StellarWP. [What permissions are being granted?](#) [Read our terms of service](#) [Read our privacy policy.](#)

Rate The Events Calendar ★★★★★

Verzija 6.4.3

Postavke Događaji

The Events Calendar offers basic support for themes using Site Editor. [Read more](#)

Osnovno Zastav Filteri Licenses Integrations Imports

Display Settings

The settings below control the display of your calendar. If things don't look right, try switching between the two style sheet options or pick a page template from your theme (not available on block themes). Check out our [customization guide](#) for instructions on template modifications.

Jump to: [Calendar Display](#) [Datum i vrijeme](#) [Valuta](#) [Mape](#) [Additional Content](#)

Calendar Display

Default stylesheet used for events templates

Skeleton Styles
Only includes enough CSS to achieve complex layouts like calendar and week view.

Default Styles
A fully designed and styled theme for your events pages.

Enable event views

Popis
 Mjesec
 Dan
 Summary [\(SS\)](#)
 Photo [\(PS\)](#)
 Tjedan [\(TS\)](#)
 Karta [\(KS\)](#)

You must select at least one view.

Default view

Dan

Month view events per day

-1

Change the default 3 events per day in month view. To impose no limit, you may specify -1. Please note there may be performance issues if you allow too many events per day. [Read more](#).

Number of events to show per page

12

Broj događaja po stranici u prikazu popisa. Ne uključuje druge prikaze.

Show comments

Enable comments on event pages.

Disable the event search bar

Hide the search field on all views.

Date & Time

The following three fields accept the date format options available to the PHP `date()` function. Learn how to make your own date format here.

Date with year format

F j Y 2. srpnja, 2024

Enter the format to use for displaying dates with the year. Used when showing an event from a future year. Example: January 15, 2024

Date without year format

F j 2. srpnja

Enter the format to use for displaying dates without a year. Used when showing an event from the current year. Example: January 15

Month and year format

F Y 02. srpnja, 2024

Enter the format to use for dates that show a month and year only. Used on month view. Example: January 2024

Compact date format

15.01.2024

Select the date format used for elements with minimal space, such as in datepickers.

Date time separator

:

Enter the separator that will be placed between the date and time, when both are shown.

Time range separator

-

Enter the separator that will be used between the start and end time of an event.

End of day cutoff

0:00

Have an event that runs past midnight? Select a time after that event's end to avoid showing the event on the next day's calendar.

Show time zone

Appends the time zone to the end of event scheduling information – this can be useful when you have events in numerous different time zones.

Time zone mode

Use manual time zones for each event

Currency

Start selling tickets to your events

Get Event Tickets to manage attendee registration and ticket sales to your events, for free. [Learn more](#)

Default currency symbol

\$

Set the default currency symbol for event costs. Note that this only impacts future events, and changes made will not apply retroactively.

Default currency code

USD

Set the default currency ISO-4217 code for event costs. This is a three letter code and is mainly used for data/SEO purposes.

Currency symbol follows value

The currency symbol normally precedes the value. Enabling this option positions the symbol after the value.

Maps

Advanced Google Maps functionality

The Events Calendar comes with a default API key for basic map functionality. If you'd like to use more advanced features like custom map pins or dynamic map loads, you'll need to get your own [Google Maps API key](#).

Omogućiti karte

Check to enable maps for events and venues.

Additional Content

Add HTML before event content

Događaj medijški zapis

Visualno Tekst

Add HTML after event content

Događaj medijški zapis

Visualno Tekst

If you are familiar with HTML, you can add additional code before the event template. Some themes may require this to help with styling or layout.

If you are familiar with HTML, you can add additional code after the event template. Some themes may require this to help with styling or layout.

[Save Changes](#)

Rate The Events Calendar ★★★★★

inAICIA 6.4.3

TEC venues – lokacije, upisan samo naslov "HVO" (hardcoded u csv-u) i država

Uredi Lokacija

HVO

Dodaj medijski zapis

Vizualno Tekst

Broj riječi: 0 Posljednju izmjenu izvršio/la vjeko dana 2. ožujka 2024. u 13:24

Lokacija informacija

Adresa:

Grad:

Država:

Država ili pokrajina:

Postal Code:

Telefon:

Web stranica:

Prikaži poveznicu na karti:

Ulogak

Dodatna polja

Autor

Rate The Events Calendar *****

inaSica 6.4.3

TEC organizacije, upisan samo naslov "HRDEMOS" (hardcoded u csv-u)

Uredi Organizator

HRDEMOS

Dodaj medijski zapis

Vizualno Tekst

Broj riječi: 0 Posljednju izmjenu izvršio/la vjeko dana 2. ožujka 2024. u 13:25

Organizator informacija

Adresa e-pošte bit će maskirana na ovoj web-stranici kako bi se izbjegla nijedna spamera.

Telefon:

Web stranica:

E-pošta:

Ulogak

Dodatna polja

Autor

Rate The Events Calendar *****

inaSica 6.4.3

FIFU postavke Automatic

The screenshot shows the 'Automatic' settings tab for the FIFU plugin. The page is titled 'Auto set featured media from post content'. It includes a description: 'Set featured images/videos automatically. The plugin reads the HTML of your post and uses the first image/video URL found as the featured media when you click the Publish/Update button. Image URLs must be within "img" tags.' Below this, there are several settings:

- Auto set:** A dropdown menu set to '1' with an 'OK' button.
- Run it for all posts:** A checkbox that is checked.
- image/video position:** A dropdown menu set to '1' with an 'OK' button.
- use the found image/video as featured image/video:** A checked checkbox.
- hide the image/video from content:** An unchecked checkbox.
- remove query strings (anything following the question mark "?"):** An unchecked checkbox.
- overwrite the existing featured image/video:** An unchecked checkbox.
- decode HTML entities:** A checked checkbox.
- check the "don't get URL from post content" option in the post editor by default:** An unchecked checkbox.
- skip URLs with:** A text input field containing 'example.com.anotherexample.onemore' and an 'OK' button.
- post types:** A text input field containing 'tribe_events' and an 'OK' button.

Below these settings is a section titled 'Auto set featured image using post title and search engine'. It includes a description: 'Set featured images automatically. The plugin checks every minute for post types without featured images and performs web searches based on post titles to retrieve the image URLs ($\leq 10\text{min}$).' A tip follows: 'Tip: Don't restrict the search too much. Because depending on the post title and the filters applied, the search engine might return an image that's not very relevant, or even no image at all. A quick and easy way to test if the search engine has relevant images for the applied filters is by accessing the post editor or FIFU quick editor and performing a search with the "Keywords" field empty. A list of the top images based on the post's title will be displayed.'

FIFU postavke Performance


The screenshot shows the 'Performance' settings tab for the FIFU plugin. The page is titled 'CDN + Optimized Thumbnails'. It includes a description: 'Your external images will be automatically optimized and served from a free CDN. In addition, the plugin will load the thumbnails in the exact size your site requires, further enhancing performance.' Below this, there are two settings:

- CDN + optimized thumbnails:** An unchecked checkbox.
- apply to content images (requires Lazy Load):** An unchecked checkbox.




Below these settings is a section titled 'Lazy Load'. It includes a description: 'With lazy load, images and videos will not be loaded until the user scrolls to them, resulting in a faster homepage.' An important note follows: 'Important: Some themes and plugins may have their own lazy load implementations, which can cause conflicts. If you experience issues with images not loading, it may be due to multiple lazy load components running simultaneously.' Below this, there is a checked 'ON' checkbox.

At the bottom of the page, there is a footer: 'Hvala što stvarate uz pomoć [WordPress](#)' and 'Izdanje 6.4.3'.

TEC uvezi, uvoz podataka iz csv datoteke



The screenshot shows the 'Events Import' interface in a web browser. The page title is 'Events Import' and it has tabs for 'New Import' and 'History'. The main content area is titled 'Column Mapping: spomenica-hvo-events-2024.csv'. It includes a preview table with the following columns: EventName, EventDescription, EventExcerpt, EventStartDate, EventEndDate, and AllDayEvent. The table contains four rows of event data, each with a featured image and a brief description. Below the table, there are fields for 'Status' (set to 'Objavljeno') and 'Kategorija' (set to 'No Additional Categories'). At the bottom, there are 'Import All' and 'Odustane' buttons. The footer of the interface includes the text 'Rate The Events Calendar *****' and 'InaSci 6.4.3'.

Ime događaja	Opis	Sažetak događaja	Datum početka događanja	Datum kraja događanja	Cjelodnevno događanje
EventName	EventDescription	EventExcerpt	EventStartDate	EventEndDate	AllDayEvent
Anto (Dozo) JURIĆ		Poginuo je 01.01.1993. godine u Gradačcu (od srpske vojske)	2024/01/01	2024/01/01	TRUE
Jozo (Matija) FRLIJĆ		Poginuo je 01. 01. 1994. godine u Vitezu (od muslimanske vojske)	2024/01/01	2024/01/01	TRUE
Marinko (Pero) DATIČTA		Poginuo 01. 01. 1993. godine u Nezerovcima, općina Busovača (od muslimanske vojske)	2024/01/01	2024/01/01	TRUE
Mato (Stipo) JAKOVLJEVIĆ	Rođen je 30. 07. 1971. godine u Seocima, općina Jajce, Bosna i Hercegovina. <small>Pre: Arhivski podaci iz javnog pristupa</small>	Poginuo je nesretnim slučajem 01. 01. 1993. godine u Vitezu	2024/01/01	2024/01/01	TRUE

TEC csv polja:

- Ime događaja = EventName
- Opis = EventDescription
- Sažetak događaja = EventExcerpt
- Datum početka događaja = EventStartDate
- Datum kraja događaja = EventEndDate
- Cjelodnevno događanje = AllDayEvent
- Vremenska zona = Timezone
- Ime mjesta događaja = EventVenueName = "HVO"
- Naziv organizator ILI ID = EventOrganizers
- Prikaži link za mapu na događaju = EventShowMapLink
- Prikaži mapu događaja = EventShowMap
- Kategorija događaja = EventCategory
- Istaknuta slika događaja = EventFeaturedImage
- Dozvoli komentare događaja = AllowComments

Uvoz traje nekoliko sati, i može se dogoditi da se zbog konflikta sa drugim WordPress dodacima prekine. Na jednom testnom okruženju mi je prekidalo više puta, dok je na drugom završilo bez grešaka nakon nekoliko sati rada.

FIFU se koristi jer besplatna inačica TEC-a ne uvozi polje "Istaknuta slika događaja" – Featured Image.

DODATNE POSTAVKE

CSS samo za sakrivanje nepotrebnih elemenata (Izgled->Prilagodi->Dodatni CSS)

```
.tribe-events-calendar-day__event-venue,  
.tribe-events-calendar-list__event-venue,  
.tribe-events-calendar-day__type-separator-text,  
.tribe-events-calendar-month-mobile-events__mobile-event-datetime,  
.tribe-events-meta-group-venue,  
.tribe-events-meta-group-organizer,  
.tribe-events-start-date,  
.tribe-events-start-date-label { display:none !important; }  
.tribe-events-event-image { max-width:300px !important; }  
.tribe-events-single-event-description img { display:none !important; }
```

Ako je site samo za spomenar onda se preusmjerenje može unijeti izravno u functions.php (Alati->Uređivač teme->Funkcije teme):


```
function redirect_homepage() {  
    if( ! is_home() && ! is_front_page() )  
        return;  
    wp_redirect( 'https://memories.hrdemos.org/events', 301 );  
    exit;  
}  
add_action( 'template_redirect', 'redirect_homepage' );
```

PRIPREMA KALENDARA ZA IDUĆU GODINU

Besplatna inačica TEC-a ne podržava ponavljajuće događaje (Recurring Events) pa je potrebno kalendar uvoziti godišnje. Prije uvoza potrebno je izmijeniti godinu početka i kraja događaja. To se može učiniti na više načina.

1. Zamjena godine u csv datoteci pomoću uređivača teksta (editora) Notepad++ uz korištenje regularnih izraza.

Primjer zamjene csv



Polje "Pronađi":

(2024)(\\[01]\\\\d\\\\d{2})

Polje "Zamijeni sa":

2025\$2

Dijalog za zamjenu otvara se sa Ctrl+H, za traženje Ctrl+F.


Prije zamjene poželjno je prebrojiti broj pronađenih izraza, trebao bi iznositi broj redaka (događaja) puta 2 manje jedan redak zaglavlja. Gumbić za brojanje nalazi se na kartici "Zamijeni" – Ctrl+F.

Nakon zamjene spremite csv datoteku pod drugim imenom pa je uvesti kao što je ranije opisano pod "TEC uvezi, uvoz podataka iz csv datoteke".

U primjeru se godina događaja 2024 mijenja sa 2025.

2. Izvozom događaja iz WordPress-a alatom "Alati->Izvoz", "Odaberi za izvoz->Događaji" pa klikom na gumbić "Preuzmi izvorni zapis".

Primjer zamjene xml



Polje "Pronađi":

```
((_EventStartDate|_EventEndDate)(.*\n\t*.*))(2024){-[01]\d-\d{2}}
```

Polje "Zamijeni sa":

```
${1}2025$5
```

UTC datum `_EventStartDateUTC` za događaje na Novu godinu neće se promijeniti što može uzrokovati probleme pa je poželjno polje `_EventStartDateUTC` za događaje na `yyyy-12-31` UTC promijeniti ručno ili prilagodite regularni izraz za zamjenu:

Polje "Pronađi" nova godina:

```
((_EventStartDateUTC)(.*\n\t*.*))(2023){-12-31}
```

Polje "Zamijeni sa" nova godina:

```
${1}2024$5
```

Obratite pozornost na to da umanjite godine za jedan u odnosu na prethodnu zamjenu.

Nakon zamjene spremite xml datoteku pa je uvesti WordPress alatom "Alati->Uvoz->WordPress->Pokreni Uvoznik", gumbić "Pregledaj" pa klikom na gumbić "Prenesi zapis i uvezi" uvezite događaje u kalendar. Možda regularni izraz može biti i jednostavniji, ali i ovaj radi.

Izvorni WordPress alat za izvoz/uvoz podataka trebao bi puno brže raditi od TEC alata za csv uvoz.

U primjeru se godina događaja 2024 mijenja sa 2025.

Hvala na čitanju!

Vjekoslav Vučić

Revizija 1.1 dokumenta

2024/03/04